

THECB SUE Scores Fall 2016 Classrooms (110's)

Space Use Name	Building	Room #	Capacity	# of Courses Taught	# of Students Served	Demand Hours (actual)	SUE Demand Score	Utilization Hours (actual)	SUE Utilization Score	Percent Fill (actual)	SUE Percent Fill Score	Overall SUE Ranking
Classroom	Art	226	38	21	723	49	36	42	32	91%	32	100
Classroom	Auditorium	218	18	19	225	54	36	44	32	66%	32	100
Classroom	BLB	5	80	37	2,181	61	36	58	32	74%	32	100
Classroom	BLB	10	80	35	2,254	57	36	53	32	80%	32	100
Classroom	BLB	15	80	23	1,402	46	36	41	32	76%	32	100
Classroom	BLB	40	39	22	592	45	36	45	32	69%	32	100
Classroom	BLB	50	40	23	614	46	36	46	32	67%	32	100
Classroom	BLB	55	103	36	2,411	50	36	47	32	65%	32	100
Classroom	BLB	70	104	31	2,979	51	36	48	32	92%	32	100
Classroom	BLB	75	38	27	688	50	36	47	32	67%	32	100
Classroom	BLB	80	214	45	7,693	70	36	60	32	80%	32	100
Classroom	BLB	90	80	36	2,253	59	36	53	32	78%	32	100
Classroom	BLB	140	48	39	1,643	77	36	64	32	88%	32	100
Classroom	BLB	155	103	29	2,512	48	36	48	32	84%	32	100
Classroom	BLB	170	104	26	2,053	50	36	43	32	76%	32	100
Classroom	BLB	180	214	60	12,137	83	36	56	32	95%	32	100
Classroom	BLB	225	48	34	1,230	50	36	50	32	75%	32	100
Classroom	BLB	245	48	32	1,159	55	36	48	32	75%	32	100
Classroom	BLB	250	48	23	986	49	36	46	32	89%	32	100
Classroom	BLB	270	48	23	874	48	36	48	32	79%	32	100

Key:

Green = Compliant

Yellow = Needs Improvement

Red = Non-Compliant

Minimum Criteria:

Demand = 45 HPW

Utilization = 38 HPW

Percent Fill = 65%

THECB SUE Scores Fall 2016 Classrooms (110's)

Space Use Name	Building	Room #	Capacity	# of Courses Taught	# of Students Served	Demand Hours (actual)	SUE Demand Score	Utilization Hours (actual)	SUE Utilization Score	Percent Fill (actual)	SUE Percent Fill Score	Overall SUE Ranking
Classroom	Chemistry	106	100	34	2,444	51	36	44	32	72%	32	100
Classroom	Chemistry	253	47	37	1,169	48	36	48	32	67%	32	100
Classroom	Chemistry	352	76	29	1,618	54	36	44	32	73%	32	100
Classroom	Curry	110	36	31	946	48	36	45	32	85%	32	100
Classroom	DP	B140	48	37	1,299	55	36	52	32	73%	32	100
Classroom	DP	B142	48	34	1,238	46	36	38	32	76%	32	100
Classroom	DP	B155	60	35	1,827	55	36	43	32	87%	32	100
Classroom	DP	B185	130	52	5,102	65	36	50	32	75%	32	100
Classroom	DP	B190	45	44	1,491	62	36	52	32	75%	32	100
Classroom	DP	D201	48	33	1,159	52	36	46	32	73%	32	100
Classroom	ESSAT	115	47	39	1,349	59	36	43	32	74%	32	100
Classroom	ESSAT	125	122	39	4,167	55	36	45	32	88%	32	100
Classroom	ESSC	255	317	37	9,583	47	36	44	32	82%	32	100
Classroom	GAB	104	166	31	4,064	50	36	47	32	79%	32	100
Classroom	GAB	317	36	33	969	45	36	43	32	82%	32	100
Classroom	GAB	406	25	31	714	46	36	46	32	92%	32	100
Classroom	Gateway	137	50	30	1,145	49	36	49	32	76%	32	100
Classroom	Language	104	28	41	944	60	36	57	32	82%	32	100
Classroom	Language	113	28	33	697	46	36	46	32	75%	32	100
Classroom	Language	202	28	32	708	46	36	46	32	79%	32	100

Key:

Green = Compliant

Yellow = Needs Improvement

Red = Non-Compliant

Minimum Criteria:

Demand = 45 HPW

Utilization = 38 HPW

Percent Fill = 65%

THECB SUE Scores Fall 2016 Classrooms (110's)

Space Use Name	Building	Room #	Capacity	# of Courses Taught	# of Students Served	Demand Hours (actual)	SUE Demand Score	Utilization Hours (actual)	SUE Utilization Score	Percent Fill (actual)	SUE Percent Fill Score	Overall SUE Ranking
Classroom	Language	205	28	34	917	48	36	39	32	96%	32	100
Classroom	Language	209	28	32	743	46	36	46	32	83%	32	100
Classroom	Language	214	27	37	768	56	36	48	32	77%	32	100
Classroom	Language	314	27	33	769	47	36	41	32	86%	32	100
Classroom	Life	A117	227	49	8,958	62	36	48	32	81%	32	100
Classroom	Life	A204	105	40	3,727	57	36	48	32	89%	32	100
Classroom	Life	A304	105	37	3,482	50	36	50	32	90%	32	100
Classroom	Life	A419	60	28	1,263	48	36	45	32	75%	32	100
Classroom	Matthews	108	38	28	738	57	36	57	32	69%	32	100
Classroom	Matthews	109	35	27	642	55	36	51	32	68%	32	100
Classroom	Matthews	113	39	30	817	48	36	48	32	70%	32	100
Classroom	Matthews	114	25	30	648	54	36	54	32	86%	32	100
Classroom	Matthews	115	28	34	832	55	36	51	32	87%	32	100
Classroom	PEB	216	77	35	2,035	58	36	51	32	76%	32	100
Classroom	Physics	102	138	37	4,518	49	36	49	32	88%	32	100
Classroom	Physics	115	30	36	930	59	36	45	32	86%	32	100
Classroom	Sage	116	220	49	9,147	59	36	46	32	85%	32	100
Classroom	Sage	231	42	31	1,136	51	36	45	32	87%	32	100
Classroom	Sage	354	52	32	1,385	45	36	45	32	83%	32	100
Classroom	Terrill	120	90	36	2,318	46	36	40	32	72%	32	100

Key:

Green = Compliant

Yellow = Needs Improvement

Red = Non-Compliant

Minimum Criteria:

Demand = 45 HPW

Utilization = 38 HPW

Percent Fill = 65%

THECB SUE Scores Fall 2016 Classrooms (110's)

Space Use Name	Building	Room #	Capacity	# of Courses Taught	# of Students Served	Demand Hours (actual)	SUE Demand Score	Utilization Hours (actual)	SUE Utilization Score	Percent Fill (actual)	SUE Percent Fill Score	Overall SUE Ranking
Classroom	Terrill	121	101	37	3,366	49	36	46	32	90%	32	100
Classroom	Wooten	110	34	36	1,007	48	36	48	32	82%	32	100
Classroom	Wooten	113	25	29	641	49	36	46	32	88%	32	100
Classroom	Wooten	114	24	32	691	51	36	48	32	90%	32	100
Classroom	Wooten	115	35	36	926	58	36	48	32	73%	32	100
Classroom	Wooten	214	24	34	749	52	36	49	32	92%	32	100
Classroom	Wooten	312	34	40	1,123	53	36	51	32	83%	32	100
Classroom	Wooten	313	25	29	659	48	36	41	32	91%	32	100
Classroom	Wooten	321	34	32	751	51	36	51	32	69%	32	100
Classroom	Art	219	38	18	494	41	27	41	32	72%	32	91
Classroom	Auditorium	201	18	20	264	40	27	37	24	73%	32	83
Classroom	Auditorium	202	18	17	264	41	27	41	32	86%	32	91
Classroom	Auditorium	212	22	21	376	41	27	38	24	81%	32	83
Classroom	BLB	35	39	24	716	38	27	38	32	76%	32	91
Classroom	BLB	60	40	19	469	45	27	38	32	62%	24	83
Classroom	BLB	65	36	22	546	41	27	37	24	69%	32	83
Classroom	BLB	255	48	23	910	41	27	41	32	82%	32	91
Classroom	Coliseum	47	32	26	814	38	27	35	24	98%	32	83
Classroom	Curry	103	114	34	2,786	45	27	45	32	72%	32	91
Classroom	Curry	104	114	32	3,146	44	27	41	32	86%	32	91

Key:

Green = Compliant

Yellow = Needs Improvement

Red = Non-Compliant

Minimum Criteria:

Demand = 45 HPW

Utilization = 38 HPW

Percent Fill = 65%

THECB SUE Scores Fall 2016 Classrooms (110's)

Space Use Name	Building	Room #	Capacity	# of Courses Taught	# of Students Served	Demand Hours (actual)	SUE Demand Score	Utilization Hours (actual)	SUE Utilization Score	Percent Fill (actual)	SUE Percent Fill Score	Overall SUE Ranking
Classroom	Curry	204	114	34	3,040	44	27	34	24	78%	32	83
Classroom	Curry	210	36	26	693	39	27	39	32	74%	32	91
Classroom	Curry	211	36	25	710	38	27	35	24	79%	32	83
Classroom	DP	B157	34	34	896	54	36	31	16	78%	32	84
Classroom	DP	B158	35	25	704	38	27	32	16	80%	32	75
Classroom	DP	B192	35	28	717	50	36	37	24	73%	32	92
Classroom	DP	D215	40	25	783	44	27	37	24	78%	32	83
Classroom	ESSAT	110	122	32	3,180	44	27	44	32	81%	32	91
Classroom	ESSAT	120	47	29	1,201	41	27	41	32	88%	32	91
Classroom	ESSAT	130	148	25	3,350	38	27	35	24	91%	32	83
Classroom	GAB	105	166	31	3,896	38	27	32	16	76%	32	75
Classroom	Gateway	132	48	25	911	44	27	35	24	76%	32	83
Classroom	Gateway	136	48	25	870	44	27	35	24	72%	32	83
Classroom	Language	114	28	29	551	45	27	45	32	68%	32	91
Classroom	Language	201	28	28	646	39	27	39	32	82%	32	91
Classroom	Language	204	28	28	675	44	27	44	32	86%	32	91
Classroom	Language	210	28	28	703	40	27	40	32	90%	32	91
Classroom	Language	212	28	29	668	42	27	42	32	82%	32	91
Classroom	Language	215	28	29	663	40	27	40	32	82%	32	91
Classroom	Language	217	28	31	721	38	27	38	32	83%	32	91

Key:
 Green = Compliant
 Yellow = Needs Improvement
 Red = Non-Compliant

Minimum Criteria:
 Demand = 45 HPW
 Utilization = 38 HPW
 Percent Fill = 65%

THECB SUE Scores Fall 2016 Classrooms (110's)

Space Use Name	Building	Room #	Capacity	# of Courses Taught	# of Students Served	Demand Hours (actual)	SUE Demand Score	Utilization Hours (actual)	SUE Utilization Score	Percent Fill (actual)	SUE Percent Fill Score	Overall SUE Ranking
Classroom	Language	218	28	33	825	43	27	43	32	89%	32	91
Classroom	Language	222	28	31	801	39	27	39	32	92%	32	91
Classroom	Language	305	28	27	654	39	27	32	16	87%	32	75
Classroom	Language	312	28	21	629	39	27	32	16	107%	32	75
Classroom	Life	A106	99	28	2,037	42	27	42	32	73%	32	91
Classroom	Matthews	102	41	38	1,262	46	36	32	16	81%	32	84
Classroom	Matthews	112	41	24	620	52	36	48	32	63%	24	92
Classroom	Matthews	311	136	28	2,680	41	27	41	32	70%	32	91
Classroom	PEB	219	36	30	649	61	36	44	32	60%	24	92
Classroom	Physics	104	68	30	1,261	47	36	43	32	62%	24	92
Classroom	Physics	112	34	33	795	43	27	40	32	71%	32	91
Classroom	Physics	311	28	26	550	40	27	40	32	76%	32	91
Classroom	RTFP	135	49	26	1,086	39	27	39	32	85%	32	91
Classroom	Sage	176	65	26	1,352	43	27	36	24	80%	32	83
Classroom	Sage	330	56	34	1,622	45	27	45	32	85%	32	91
Classroom	Sage	355	42	21	719	43	27	36	24	82%	32	83
Classroom	Wooten	112	34	27	793	40	27	40	32	86%	32	91
Classroom	Wooten	215	35	32	890	43	27	43	32	79%	32	91
Classroom	Wooten	222	120	26	2,437	40	27	40	32	78%	32	91
Classroom	Wooten	315	35	27	761	39	27	39	32	81%	32	91

Key:

Green = Compliant

Yellow = Needs Improvement

Red = Non-Compliant

Minimum Criteria:

Demand = 45 HPW

Utilization = 38 HPW

Percent Fill = 65%

THECB SUE Scores Fall 2016 Classrooms (110's)

Space Use Name	Building	Room #	Capacity	# of Courses Taught	# of Students Served	Demand Hours (actual)	SUE Demand Score	Utilization Hours (actual)	SUE Utilization Score	Percent Fill (actual)	SUE Percent Fill Score	Overall SUE Ranking
Classroom	Wooten	319	34	32	844	44	27	40	32	78%	32	91
Classroom	Wooten	322	88	30	2,203	44	27	35	24	83%	32	83
Classroom	Art	223	144	28	3,182	38	18	38	24	79%	32	74
Classroom	BLB	73	40	14	417	37	18	37	24	74%	32	74
Classroom	BLB	260	48	22	637	37	18	37	24	60%	24	66
Classroom	Chemistry	109	150	29	3,196	37	18	33	16	73%	32	66
Classroom	Curry	203	114	29	2,904	37	18	37	24	88%	32	74
Classroom	Curry	322	36	22	671	30	9	30	16	85%	32	57
Classroom	Curry	323	36	19	601	25	9	25	8	88%	32	49
Classroom	DP	D202	24	13	173	26	9	26	8	55%	24	41
Classroom	DP	D207A	15	4	34	10	9	10	8	57%	24	41
Classroom	DP	D207B	15	6	48	15	9	15	8	53%	16	33
Classroom	DP	D208B	12	5	38	11	9	11	8	63%	24	41
Classroom	DP	D209A	12	3	13	7	9	7	8	36%	8	25
Classroom	DP	D209B	12	4	26	10	9	7	8	54%	16	33
Classroom	DP	D212	24	16	199	37	18	30	16	52%	16	50
Classroom	ESSAT	190	39	20	536	33	18	33	16	69%	32	66
Classroom	ESSAT	391	39	18	609	31	18	31	16	87%	32	66
Classroom	GAB	310	36	23	570	37	18	34	24	69%	32	74
Classroom	GAB	438	22	20	339	37	18	27	8	77%	32	58

Key:

Green = Compliant

Yellow = Needs Improvement

Red = Non-Compliant

Minimum Criteria:

Demand = 45 HPW

Utilization = 38 HPW

Percent Fill = 65%

Space Management and Planning

7 of 9

THECB SUE Scores Fall 2016 Classrooms (110's)

Space Use Name	Building	Room #	Capacity	# of Courses Taught	# of Students Served	Demand Hours (actual)	SUE Demand Score	Utilization Hours (actual)	SUE Utilization Score	Percent Fill (actual)	SUE Percent Fill Score	Overall SUE Ranking
Classroom	Gateway	131	56	24	1,085	38	18	38	24	81%	32	74
Classroom	Gateway	142	40	20	604	37	18	33	16	76%	32	66
Classroom	Hickory	252	45	22	535	36	18	33	16	54%	16	50
Classroom	Language	211	28	24	655	30	9	30	16	97%	32	57
Classroom	Language	216	28	29	681	36	18	36	24	84%	32	74
Classroom	Language	219	28	27	598	37	18	37	24	79%	32	74
Classroom	Language	223	28	28	672	35	18	35	24	86%	32	74
Classroom	Language	301	28	30	704	36	18	36	24	84%	32	74
Classroom	Language	302	28	26	671	31	9	31	16	92%	32	57
Classroom	Language	304	28	25	598	33	18	33	16	85%	32	66
Classroom	Language	309	28	25	579	32	18	32	16	83%	32	66
Classroom	Language	310	43	23	687	30	9	27	8	69%	32	49
Classroom	Language	311	28	19	413	26	9	26	8	78%	32	49
Classroom	Language	313	28	19	458	29	9	29	8	86%	32	49
Classroom	Language	316	43	20	534	26	9	26	8	62%	24	41
Classroom	Language	317	28	18	428	25	9	25	8	85%	32	49
Classroom	Language	318	28	22	574	23	9	23	8	93%	32	49
Classroom	Language	319	28	22	534	27	9	27	8	87%	32	49
Classroom	Language	322	28	10	110	12	9	12	8	39%	8	25
Classroom	Language	402	17	12	111	23	9	23	8	54%	16	33

Key:

Green = Compliant

Yellow = Needs Improvement

Red = Non-Compliant

Minimum Criteria:

Demand = 45 HPW

Utilization = 38 HPW

Percent Fill = 65%

THECB SUE Scores Fall 2016 Classrooms (110's)

Space Use Name	Building	Room #	Capacity	# of Courses Taught	# of Students Served	Demand Hours (actual)	SUE Demand Score	Utilization Hours (actual)	SUE Utilization Score	Percent Fill (actual)	SUE Percent Fill Score	Overall SUE Ranking
Classroom	Physics	116	28	22	448	34	18	34	24	73%	32	74
Classroom	Sage	230	43	15	557	29	9	26	8	86%	32	49
Classroom	Sage	329	42	16	435	29	9	26	8	65%	32	49
Classroom	Sage	356	46	18	571	30	9	30	16	69%	32	57
Classroom	Wooten	111	25	10	161	30	9	23	8	64%	24	41
Classroom	Wooten	122	120	25	2,634	32	18	32	16	88%	32	66

Key:

Green = Compliant

Yellow = Needs Improvement

Red = Non-Compliant

Minimum Criteria:

Demand = 45 HPW

Utilization = 38 HPW

Percent Fill = 65%